


kategoria: -100 kg
ilość zawodników: 15



Phylogenetic tree showing relationships between various taxa. The tree is rooted at the bottom with 'Marek L.'. The first split leads to 'Dzierżanowski I.' on the left and a clade on the right. The right clade splits into 'Dzierżanowski I.' and another clade. This second clade splits into 'Dzierżanowski I.' and a clade containing 'Lakhin L.', 'Dzierżanowski I.', 'Dzierżanowski I.', 'Moskal D.', and 'Kejza P.'. The 'Dzierżanowski I.' taxa are sister to a clade containing 'Lakhin L.' and 'Dzierżanowski I.'. 'Moskal D.' and 'Kejza P.' are sister taxa.

```

graph BT
    Root --- Node1
    Root --- Node2
    Node1 --- Dzierzanowski1[Dzierżanowski I.]
    Node2 --- Node3
    Node3 --- Dzierzanowski2[Dzierżanowski I.]
    Node3 --- Node4
    Node4 --- Node5
    Node4 --- Node6
    Node5 --- Lakhin[Lakhin L.]
    Node5 --- Dzierzanowski3[Dzierżanowski I.]
    Node6 --- Dzierzanowski4[Dzierżanowski I.]
    Node6 --- Node7
    Node7 --- Moskal[Moskal D.]
    Node7 --- Kejza[Kejza P.]
  
```